

Work Order ID 86113

86113

Page 1

Item ID: D3298-007

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Tube Assembly

Start Date: 20/06/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 04/07/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: *MCS*

Date: *12/06/20*

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3298

B

100

0.00

100

Small Fab

Small Fab

Memo

0.00

Small Fab

Bend tube as per template D3298-007T1 & Dwg D3298Flare end as per Dwg D3298. Ensure that sleeves and coupling are installed first

FF
12-07-19

110

QC5- Inspect part completeness to step on W/O

0.00

110

QC

Memo

0.00

Quality Control

DAS
16
9-89

(x4)

120

Identify as per dwg & Stock Location: *51192*

0.00

120

Packaging

Memo

0.00

Packaging

4

12/07/2019

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86113***86113***

Page 2

Item ID: D3298-007

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Tube Assembly

Stop ***NS2***

Start Date: 20/06/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 04/07/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00

130

QC

Memo

0.00

Quality Control

12/7/23 JF
MC 2/07/14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

June-20-12 2:52:46 PM

Page 1

Work Order ID: 86113

86113

Parent Item: D3298-007

D3298-007

Parent Item Name: Tube Assembly

Start Date: 20/06/2012

Required Date: 04/07/2012

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP A04.09.02New issueKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN818-6D Purchased No

100 Each 27.0000 2 8

AN818-6D

Nut

**

(4) FF 12-07-19

Location

122378

Loc Qty

Loc Code

ST325

20

4

120769

10

121524

10

4

ST326

7

119438

7

M6061T6T0.375W.035

Purchased

No

100

f

151.8882

0.6666

2.806737

M6061T6T0 375W 035

6061-T6 RD Tube .375 x.035W

**

(4) FF 12-07-19

Location

Loc Qty

Loc Code

MAT014

151.8882

112652

151.8882

2.8067

MS20819-6D

Purchased

No

100

Each

21.0000

2

8

MS20819-6D

Sleeve

**

(4) FF 12-07-19

Location

Loc Qty

Loc Code

ST323

21

120142

2

120693

19

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM NO.	QTY -001	P/N	DESCRIPTION
1	X	D3298-001	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 86113 NW
12/04/20

RELEASED
2010-01-14

D3298-001 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-001" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-001T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

B	DRAWING UPDATED TO CURRENT STANDARDS 16.00 WAS 15.75 (ZN C3-1, C4-2) & CORRECT VIEW (ZN D4-2); PER CAR 09-004	RF	09.12.30
A	NEW ISSUE	RF	04.07.06
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 1 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-003	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

86113



D3298-003 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035.
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-003" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-003T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14
mp

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>BE</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>BE</i>	D3298	SHEET 2 OF 8
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-005	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

26113



D3298-005 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-005" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-005T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14
MD

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 3 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -007	P/N	DESCRIPTION
1	X	D3298-007	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

26113

D3298-007 TUBE ASSEMBLY

RELEASED
2010-01-15

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-007" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.05 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-007T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10 ENSURE SEAMLESS TUBING IS USED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 4 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE OR COMMUNICATION TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -009	P/N	DESCRIPTION
1	X	D3298-009	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT

86113



D3298-009 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-009" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.04 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-009T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-16
M

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D3298	REV. B
MFG. APPR.	RF		SHEET 5 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____





Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -011	P/N	DESCRIPTION
1	X	D3298-011	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

86113



D3298-011 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-011" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-011T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 6 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-013	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-013 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-013" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-013T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10 ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 7 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -015	P/N	DESCRIPTION
1	X	D3298-015	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT

26113



D3298-015 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER VVV-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-015" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-015T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2018-01-14

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3298	REV. B
MFG. APPR.	<i>[Signature]</i>		SHEET 8 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries